

# Integrated Co-Occurring Disorders Billing Guide



HEALTH SYSTEMS DIVISION

Guidance for coordinated care  
organizations and direct service  
providers

December 2022



# Contents

<b>Introduction</b>	<b>1</b>
About this guide	1
<b>Provider enrollment</b>	<b>2</b>
Provider types	2
Provider specialties	2
How to enroll with OHA	2
If you have questions about enrolling with OHA:	2
How to become an approved ICD treatment provider	2
Provider organizations	3
Rendering providers (practitioners)	3
CCO participation	3
<b>Billing for Covered Services</b>	<b>4</b>
Covered services	4
Modifiers	4
Eligibility and enrollment	4
Billing and coding	4
If you have billing questions or concerns:	4
<b>Appendix A: Approved ICD Diagnoses</b>	<b>6</b>
Approved diagnostic combinations	6
Approved ICD diagnoses list	6
Addiction disorders	6
Mental health disorders	9
<b>Appendix B: Approved ICD Service Codes</b>	<b>12</b>
Mental health outpatient services	12
Peer support	13
Substance use disorder treatment	13

## Introduction

Effective January 1, 2023, the Oregon Health Authority (OHA) will implement Oregon Health Plan (OHP) coverage of integrated treatment of co-occurring disorders (ICD).

- For services rendered to coordinated care organization (CCO) members, CCOs will reimburse eligible providers through a CCO Behavioral Health Directed Payment.
- OHA will reimburse providers for services rendered to fee-for-service members.

Both CCO and FFS coverage will provide a uniform payment increase to eligible providers.

### About the ICD Treatment Initiative

OHA's ICD Treatment Initiative seeks to eliminate barriers to access and provide meaningful and responsive treatment for Oregonians dealing with Co-Occurring Disorders (COD). In addition to the restructuring of OHP fee-for-service and CCO payment methodologies, the initiative is working to:

- Guide and support organizational culture change.
- Support and expand the practice scope and skill set of treatment providers and peer service providers working in ICD settings.
- Develop and sustain a Statewide Integrated Co-Occurring Disorders Treatment Providers Community of Practice

For these reasons, OHA's approval process for ICD programs focuses on supporting ongoing participation in the culture of change and expansion of specialty scope of practice and skill sets.

### About this guide

This guide is outpatient behavioral health services providers to learn how to:

- Enroll as an Oregon Medicaid provider
- Apply for approval as an ICD program or ICD practitioner
- Bill for eligible services provided to OHP members.

# Provider enrollment

## Provider types

Eligible providers are outpatient behavioral health service providers who:

- Are enrolled with OHA as an OHP (Oregon Medicaid) provider,
- Are approved by OHA to provide ICD services, and
- Employ staff qualified to render ICD services.

OHA is updating Oregon Administrative Rules (OARs) [309-019-0145](#) and [309-018-0160](#) with these requirements.

## Provider specialties

In MMIS, only the following specialty types indicate approved ICD providers. Only these providers may bill for ICD services.

- **006:** ICD program
- **007:** Non-master's level practitioner
- **008:** Masters level or above provider
- **009:** ICD Problem Gambling Specialist

## How to enroll with OHA

To enroll with OHA as an OHP provider, [visit the Provider Enrollment web page](#). Click on the Provider Description that describes you (*e.g.*, Behavioral Health Outpatient Program) to find the required forms and documents.

### If you have questions about enrolling with OHA:

If you have questions about how to enroll, contact Provider Enrollment at 1-800-422-5047 or email [provider.enrollment@odhsoha.oregon.gov](mailto:provider.enrollment@odhsoha.oregon.gov).

## How to become an approved ICD treatment provider

The payment methodologies employed for ICD treatment in OAR 309-19-0145 and forthcoming OAR 309-018-0160 require provider organization approval by OHA. This approval is needed to ensure that provider organizations and practitioners are in alignment with intent and practice of ICD treatment and recovery services and to ensure proper payment for these specialty services.

OHA's Certification & Licensing Unit will conduct routine site reviews to include review of compliance with OARs 309-019-0145 and 309-018-0160 as relevant.

### **Provider organizations**

Once the ICD rules are final and published to the Oregon Secretary of State Website, programs will be able to apply for approval as an ICD service provider.

Programs are not required to be awardees or applicants of start-up funding to apply for approval as an ICD program.

Provider organizations will apply for approval as an ICD treatment provider using the application on the ICD web page at [Oregon.gov/ICD](https://Oregon.gov/ICD). Applications, once approved, will be effective retroactively to January 1, 2023.

OHA ICD staff will work with approved programs to obtain their lists of qualified service provider staff.

### **Rendering providers (practitioners)**

Provider organizations will register their approved practitioners with OHA when they apply for ICD approval, and update their lists of approved providers quarterly with OHA. OHA will supply a form for these updates. Organizations must submit these reports no later than 30 days from close of each calendar quarter. Practitioners must complete required trainings within 12 months of being named an ICD practitioner by their organization, as required by OAR [309-019-0145](#) and forthcoming amendment to OAR [309-018-0160](#).

## **CCO participation**

OHA will provide CCOs lists of local certified organizations and their approved staff through the CCO's designated contract administrator contact.

- CCOs shall create contracts with approved provider organizations, as described in their contracts with OHA.
- CCOs should include provider reporting of approved service staff changes at regular intervals in their contracts and agreements with approved provider organizations.

# Billing for Covered Services

## Covered services

For approved ICD providers, services eligible for ICD rate enhancements must:

- List two or more diagnoses from the approved ICD diagnoses list (see [Appendix A](#)).
- Use service codes from the approved ICD service codes list (see [Appendix B](#)).
- Be rendered by an approved ICD practitioner as described in OAR [309-019-0145](#) (outpatient) or OAR [309-018-0160](#) (residential).

## Modifiers

All claims for ICD services must include either the HH or HO modifier.

- **HH:** Integrated Co-Occurring Disorders Program, services rendered by approved provider. Use for services rendered by providers with ICD specialty code 007 or 009.
- **HO:** Outpatient services rendered by approved provider with master's level or higher education in a behavioral health field, qualified by OAR 309-019-0125. Use for services rendered by providers with ICD specialty code 008.

## Eligibility and enrollment

Please verify OHP eligibility and enrollment prior to rendering service or billing. Go to the [OHP Eligibility Verification page](#) to learn more.

## Billing and coding

Refer to Current Procedural Terminology (CPT) or Healthcare Common Procedure Coding System (HCPCS) code descriptions and standards for more information.

Providers that are not dually credentialed will need to ensure that their billing aligns their credential, provider type, service codes and primary diagnosis codes. Integrated Co-Occurring Disorders Practitioners continue to be required to provide and document services within the scope of practice of their credential. The ICD Specialty Endorsement permits the practitioner to bill for services rendered at enhanced rates due to their expanded practical knowledge as evidenced by the specialty endorsement.

## If you have billing questions or concerns:

For services to CCO members, [contact the member's CCO](#).

For services to fee-for-service members, please review this guide, notices received from OHA, and the [OHP Billing Tips page](#). If you still have questions or concerns, call the Provider Services Unit at 1-800-336-6016. .

## Appendix A: Approved ICD Diagnoses

### Approved diagnostic combinations

Co-occurring disorders are defined through the experience and diagnoses of at least one addiction disorder (substance use disorder or gambling disorder) and at least one mental health disorder.

- Diagnostic combinations must contain at least one disorder from each behavioral health category.
- For individuals dealing with intellectual or developmental disabilities (ID/D), only one diagnostic category (either addiction **or** mental health) will be required.

### Approved ICD diagnoses list

#### Addiction disorders

Code	Description
F10.10	Alcohol use disorder, Mild
F10.20	Alcohol use disorder, Moderate
F10.20	Alcohol use disorder, Severe
F15.121	Amphetamine (or other stimulant) intoxication delirium, With mild use disorder
F15.129	Amphetamine or other stimulant intoxication, Without perceptual disturbances, With mild use disorder
F15.229	Amphetamine or other stimulant intoxication, Without perceptual disturbances, With moderate or severe use disorder
F15.929	Amphetamine or other stimulant intoxication, Without perceptual disturbances, Without use disorder
F15.23	Amphetamine or other stimulant withdrawal
F15.10	Amphetamine-type substance use disorder, Mild
F15.20	Amphetamine-type substance use disorder, Moderate
F15.20	Amphetamine-type substance use disorder, Severe
F12.10	Cannabis use disorder, Mild
F12.20	Cannabis use disorder, Moderate
F12.20	Cannabis use disorder, Severe
F14.10	Cocaine use disorder, Mild
F14.20	Cocaine use disorder, Moderate
F14.20	Cocaine use disorder, Severe
F14.23	Cocaine withdrawal
F63.0	Gambling disorder
F18.10	Inhalant use disorder, Mild
F18.20	Inhalant use disorder, Moderate



<b>Code</b>	<b>Description</b>
<b>F18.20</b>	Inhalant use disorder, Severe
<b>F11.10</b>	Opioid use disorder, Mild
<b>F11.20</b>	Opioid use disorder, Moderate
<b>F11.20</b>	Opioid use disorder, Severe
<b>F11.23</b>	Opioid withdrawal
<b>F13.10</b>	Sedative, hypnotic, or anxiolytic use disorder, Mild
<b>F13.20</b>	Sedative, hypnotic, or anxiolytic use disorder, Moderate
<b>F13.20</b>	Sedative, hypnotic, or anxiolytic use disorder, Severe
<b>F13.232</b>	Sedative, hypnotic, or anxiolytic withdrawal, With perceptual disturbances
<b>F13.239</b>	Sedative, hypnotic, or anxiolytic withdrawal, Without perceptual disturbances
<b>F12.288</b>	Cannabis withdrawal
<b>F10.231</b>	Alcohol withdrawal delirium
<b>F10.232</b>	Alcohol withdrawal, With perceptual disturbances
<b>F10.239</b>	Alcohol withdrawal, Without perceptual disturbances
<b>F10.180</b>	Alcohol-induced anxiety disorder, With mild use disorder
<b>F10.280</b>	Alcohol-induced anxiety disorder, With moderate or severe use disorder
<b>F10.14</b>	Alcohol-induced bipolar and related disorder, With mild use disorder
<b>F10.24</b>	Alcohol-induced bipolar and related disorder, With moderate or severe use disorder
<b>F10.94</b>	Alcohol-induced bipolar and related disorder, Without use disorder
<b>F10.14</b>	Alcohol-induced depressive disorder, With mild use disorder
<b>F10.24</b>	Alcohol-induced depressive disorder, With moderate or severe use disorder
<b>F10.94</b>	Alcohol-induced depressive disorder, Without use disorder
<b>F10.159</b>	Alcohol-induced psychotic disorder, With mild use disorder
<b>F10.259</b>	Alcohol-induced psychotic disorder, With moderate or severe use disorder
<b>F10.959</b>	Alcohol-induced psychotic disorder, Without use disorder
<b>F15.221</b>	Amphetamine (or other stimulant) intoxication delirium, With moderate or severe use disorder
<b>F15.921</b>	Amphetamine (or other stimulant) intoxication delirium, Without use disorder
<b>F15.180</b>	Amphetamine (or other stimulant)-induced anxiety disorder, With mild use disorder
<b>F15.280</b>	Amphetamine (or other stimulant)-induced anxiety disorder, With moderate or severe use disorder
<b>F15.980</b>	Amphetamine (or other stimulant)-induced anxiety disorder, Without use disorder
<b>F15.14</b>	Amphetamine (or other stimulant)-induced bipolar and related disorder, With mild use disorder
<b>F15.24</b>	Amphetamine (or other stimulant)-induced bipolar and related disorder, With moderate or severe use disorder
<b>F15.94</b>	Amphetamine (or other stimulant)-induced bipolar and related disorder, Without use disorder
<b>F15.921</b>	Amphetamine (or other stimulant)-induced delirium
<b>F15.14</b>	Amphetamine (or other stimulant)-induced depressive disorder, With mild use disorder
<b>F15.24</b>	Amphetamine (or other stimulant)-induced depressive disorder, With moderate or severe use disorder
<b>F15.94</b>	Amphetamine (or other stimulant)-induced depressive disorder, Without use disorder
<b>F15.188</b>	Amphetamine (or other stimulant)-induced obsessive-compulsive and related disorder, With mild use disorder
<b>F15.288</b>	Amphetamine (or other stimulant)-induced obsessive-compulsive and related disorder, With moderate or severe use disorder
<b>F15.988</b>	Amphetamine (or other stimulant)-induced obsessive-compulsive and related disorder, Without use disorder
<b>F15.159</b>	Amphetamine (or other stimulant)-induced psychotic disorder, With mild use disorder
<b>F15.259</b>	Amphetamine (or other stimulant)-induced psychotic disorder, With moderate or severe use disorder
<b>F15.959</b>	Amphetamine (or other stimulant)-induced psychotic disorder, Without use disorder
<b>F15.181</b>	Amphetamine (or other stimulant)-induced sexual dysfunction, With mild use disorder

<b>Code</b>	<b>Description</b>
<b>F15.281</b>	Amphetamine (or other stimulant)-induced sexual dysfunction, With moderate or severe use disorder
<b>F15.182</b>	Amphetamine (or other stimulant)-induced sleep disorder, With mild use disorder
<b>F15.282</b>	Amphetamine (or other stimulant)-induced sleep disorder, With moderate or severe use disorder
<b>F15.982</b>	Amphetamine (or other stimulant)-induced sleep disorder, Without use disorder
<b>F15.122</b>	Amphetamine or other stimulant intoxication, With perceptual disturbances, With mild use disorder
<b>F15.222</b>	Amphetamine or other stimulant intoxication, With perceptual disturbances, With moderate or severe use disorder
<b>F12.180</b>	Cannabis-induced anxiety disorder, With mild use disorder
<b>F12.280</b>	Cannabis-induced anxiety disorder, With moderate or severe use disorder
<b>F12.159</b>	Cannabis-induced psychotic disorder, With mild use disorder
<b>F12.259</b>	Cannabis-induced psychotic disorder, With moderate or severe use disorder
<b>F14.180</b>	Cocaine-induced anxiety disorder, With mild use disorder
<b>F14.280</b>	Cocaine-induced anxiety disorder, With moderate or severe use disorder
<b>F14.14</b>	Cocaine-induced bipolar and related disorder, With mild use disorder
<b>F14.24</b>	Cocaine-induced bipolar and related disorder, With moderate or severe use disorder
<b>F14.94</b>	Cocaine-induced bipolar and related disorder, Without use disorder
<b>F14.14</b>	Cocaine-induced depressive disorder, With mild use disorder
<b>F14.24</b>	Cocaine-induced depressive disorder, With moderate or severe use disorder
<b>F14.94</b>	Cocaine-induced depressive disorder, Without use disorder
<b>F14.188</b>	Cocaine-induced obsessive-compulsive and related disorder, With mild use disorder
<b>F14.288</b>	Cocaine-induced obsessive-compulsive and related disorder, With moderate or severe use disorder
<b>F14.159</b>	Cocaine-induced psychotic disorder, With mild use disorder
<b>F14.259</b>	Cocaine-induced psychotic disorder, With moderate or severe use disorder
<b>F14.181</b>	Cocaine-induced sexual dysfunction, With mild use disorder
<b>F14.281</b>	Cocaine-induced sexual dysfunction, With moderate or severe use disorder
<b>F14.981</b>	Cocaine-induced sexual dysfunction, Without use disorder
<b>F14.182</b>	Cocaine-induced sleep disorder, With mild use disorder
<b>F14.282</b>	Cocaine-induced sleep disorder, With moderate or severe use disorder
<b>F18.180</b>	Inhalant-induced anxiety disorder, With mild use disorder
<b>F18.280</b>	Inhalant-induced anxiety disorder, With moderate or severe use disorder
<b>F18.14</b>	Inhalant-induced depressive disorder, With mild use disorder
<b>F18.24</b>	Inhalant-induced depressive disorder, With moderate or severe use disorder
<b>F18.159</b>	Inhalant-induced psychotic disorder, With mild use disorder
<b>F18.259</b>	Inhalant-induced psychotic disorder, With moderate or severe use disorder
<b>F11.23</b>	Opioid withdrawal delirium
<b>F11.188</b>	Opioid-induced anxiety disorder, With mild use disorder
<b>F11.288</b>	Opioid-induced anxiety disorder, With moderate or severe use disorder
<b>F11.988</b>	Opioid-induced anxiety disorder, Without use disorder
<b>F11.921</b>	Opioid-induced delirium
<b>F11.14</b>	Opioid-induced depressive disorder, With mild use disorder
<b>F11.24</b>	Opioid-induced depressive disorder, With moderate or severe use disorder
<b>F13.121</b>	Sedative, hypnotic, or anxiolytic intoxication delirium, With mild use disorder
<b>F13.221</b>	Sedative, hypnotic, or anxiolytic intoxication delirium, With moderate or severe use disorder
<b>F13.231</b>	Sedative, hypnotic, or anxiolytic withdrawal delirium
<b>F13.180</b>	Sedative-, hypnotic-, or anxiolytic-induced anxiety disorder, With mild use disorder
<b>F13.280</b>	Sedative-, hypnotic-, or anxiolytic-induced anxiety disorder, With moderate or severe use disorder
<b>F13.980</b>	Sedative-, hypnotic-, or anxiolytic-induced anxiety disorder, Without use disorder

<b>Code</b>	<b>Description</b>
<b>F13.14</b>	Sedative-, hypnotic-, or anxiolytic-induced bipolar and related disorder, With mild use disorder
<b>F13.24</b>	Sedative-, hypnotic-, or anxiolytic-induced bipolar and related disorder, With moderate or severe use disorder
<b>F13.94</b>	Sedative-, hypnotic-, or anxiolytic-induced bipolar and related disorder, Without use disorder
<b>F13.921</b>	Sedative-, hypnotic-, or anxiolytic-induced delirium
<b>F13.14</b>	Sedative-, hypnotic-, or anxiolytic-induced depressive disorder, With mild use disorder
<b>F13.24</b>	Sedative-, hypnotic-, or anxiolytic-induced depressive disorder, With moderate or severe use disorder
<b>F13.94</b>	Sedative-, hypnotic-, or anxiolytic-induced depressive disorder, Without use disorder
<b>F13.27</b>	Sedative-, hypnotic-, or anxiolytic-induced major neurocognitive disorder, With moderate or severe use disorder
<b>F13.288</b>	Sedative-, hypnotic-, or anxiolytic-induced mild neurocognitive disorder, With moderate or severe use disorder
<b>F13.988</b>	Sedative-, hypnotic-, or anxiolytic-induced mild neurocognitive disorder, Without use disorder
<b>F13.159</b>	Sedative-, hypnotic-, or anxiolytic-induced psychotic disorder, With mild use disorder
<b>F13.259</b>	Sedative-, hypnotic-, or anxiolytic-induced psychotic disorder, With moderate or severe use disorder
<b>F13.181</b>	Sedative-, hypnotic-, or anxiolytic-induced sexual dysfunction, With mild use disorder
<b>F13.281</b>	Sedative-, hypnotic-, or anxiolytic-induced sexual dysfunction, With moderate or severe use disorder
<b>F13.981</b>	Sedative-, hypnotic-, or anxiolytic-induced sexual dysfunction, Without use disorder
<b>F13.182</b>	Sedative-, hypnotic-, or anxiolytic-induced sleep disorder, With mild use disorder
<b>F13.282</b>	Sedative-, hypnotic-, or anxiolytic-induced sleep disorder, With moderate or severe use disorder
<b>F13.982</b>	Sedative-, hypnotic-, or anxiolytic-induced sleep disorder, Without use disorder

## Mental health disorders

<b>Code</b>	<b>Description</b>
<b>F43.20</b>	Adjustment disorder, Unspecified
<b>F43.22</b>	Adjustment disorder, With anxiety
<b>F43.21</b>	Adjustment disorder, With depressed mood
<b>F43.24</b>	Adjustment disorder, With disturbance of conduct
<b>F43.23</b>	Adjustment disorder, With mixed anxiety and depressed mood
<b>F43.25</b>	Adjustment disorder, With mixed disturbance of emotions and conduct
<b>F40.00</b>	Agoraphobia
<b>F50.02</b>	Anorexia nervosa, Binge-eating/purging type
<b>F50.01</b>	Anorexia nervosa, Restricting type
<b>F60.2</b>	Antisocial personality disorder
<b>F06.4</b>	Anxiety disorder due to another medical condition
<b>F90.2</b>	Attention-deficit/hyperactivity disorder, Combined presentation
<b>F90.1</b>	Attention-deficit/hyperactivity disorder, Predominantly hyperactive/impulsive presentation
<b>F90.0</b>	Attention-deficit/hyperactivity disorder, Predominantly inattentive presentation
<b>F60.6</b>	Avoidant personality disorder
<b>F50.8</b>	Avoidant/restrictive food intake disorder
<b>F50.8</b>	Binge-eating disorder
<b>F06.33</b>	Bipolar and related disorder due to another medical condition, With manic features
<b>F06.33</b>	Bipolar and related disorder due to another medical condition, With manic- or hypomanic-like episodes
<b>F06.34</b>	Bipolar and related disorder due to another medical condition, With mixed features
<b>F31.76</b>	Bipolar I disorder, Current or most recent episode depressed, In full remission
<b>F31.75</b>	Bipolar I disorder, Current or most recent episode depressed, In partial remission
<b>F31.31</b>	Bipolar I disorder, Current or most recent episode depressed, Mild

Code	Description
F31.32	Bipolar I disorder, Current or most recent episode depressed, Moderate
F31.4	Bipolar I disorder, Current or most recent episode depressed, Severe
F31.9	Bipolar I disorder, Current or most recent episode depressed, Unspecified
F31.5	Bipolar I disorder, Current or most recent episode depressed, With psychotic features
F31.0	Bipolar I disorder, Current or most recent episode hypomanic
F31.74	Bipolar I disorder, Current or most recent episode hypomanic, In full remission
F31.73	Bipolar I disorder, Current or most recent episode hypomanic, In partial remission
F31.9	Bipolar I disorder, Current or most recent episode hypomanic, Unspecified
F31.74	Bipolar I disorder, Current or most recent episode manic, In full remission
F31.73	Bipolar I disorder, Current or most recent episode manic, In partial remission
F31.11	Bipolar I disorder, Current or most recent episode manic, Mild
F31.12	Bipolar I disorder, Current or most recent episode manic, Moderate
F31.13	Bipolar I disorder, Current or most recent episode manic, Severe
F31.9	Bipolar I disorder, Current or most recent episode manic, Unspecified
F31.2	Bipolar I disorder, Current or most recent episode manic, With psychotic features
F31.9	Bipolar I disorder, Current or most recent episode unspecified
F31.81	Bipolar II disorder
F45.22	Body dysmorphic disorder
R41.83	Borderline intellectual functioning
F60.3	Borderline personality disorder
F23	Brief psychotic disorder
F50.2	Bulimia nervosa
F34.0	Cyclothymic disorder
F22	Delusional disorder
F60.7	Dependent personality disorder
F48.1	Depersonalization/derealization disorder
F06.31	Depressive disorder due to another medical condition, With depressive features
F06.32	Depressive disorder due to another medical condition, With major depressive-like episode
F06.34	Depressive disorder due to another medical condition, With mixed features
F44.81	Dissociative identity disorder
F41.1	Generalized anxiety disorder
F60.4	Histrionic personality disorder
F42	Hoarding disorder
F33.42	Major depressive disorder, Recurrent episode, In full remission
F33.41	Major depressive disorder, Recurrent episode, In partial remission
F33.0	Major depressive disorder, Recurrent episode, Mild
F33.1	Major depressive disorder, Recurrent episode, Moderate
F33.2	Major depressive disorder, Recurrent episode, Severe
F33.9	Major depressive disorder, Recurrent episode, Unspecified
F33.3	Major depressive disorder, Recurrent episode, With psychotic features
F32.5	Major depressive disorder, Single episode, In full remission
F32.4	Major depressive disorder, Single episode, In partial remission
F32.0	Major depressive disorder, Single episode, Mild
F32.1	Major depressive disorder, Single episode, Moderate
F32.2	Major depressive disorder, Single episode, Severe
F32.9	Major depressive disorder, Single episode, Unspecified
F32.3	Major depressive disorder, Single episode, With psychotic features
F42	Obsessive-compulsive disorder
F60.5	Obsessive-compulsive personality disorder
F41.0	Panic disorder
F60.0	Paranoid personality disorder
F43.10	Posttraumatic stress disorder

<b>Code</b>	<b>Description</b>
<b>F06.2</b>	Psychotic disorder due to another medical condition, With delusions
<b>F06.0</b>	Psychotic disorder due to another medical condition, With hallucinations
<b>F25.0</b>	Schizoaffective disorder, Bipolar type
<b>F25.1</b>	Schizoaffective disorder, Depressive type
<b>F60.1</b>	Schizoid personality disorder
<b>F20.9</b>	Schizophrenia
<b>F20.81</b>	Schizophreniform disorder
<b>F21</b>	Schizotypal personality disorder
<b>F40.10</b>	Social anxiety disorder (social phobia)

## Appendix B: Approved ICD Service Codes

### Mental health outpatient services

Code	Description
90785	Interactive complexity code
90791	Psychiatric diagnostic evaluation
90792	Psychiatric diagnostic evaluation with medical services
90832	Psychotherapy, 30 minutes with patient and/or family member
90833	Psychotherapy, 30 minutes with patient and/or family member when performed with an E/M service
90834	Psychotherapy, 45 minutes with patient and/or family member
90836	Psychotherapy, 45 minutes with patient and/or family member when performed with an E/M service
90837	Psychotherapy, 60 minutes with patient and/or family member.
90838	Psychotherapy, 60 minutes with patient and/or family member when performed with an E/M service
90839	Psychotherapy for crisis, first 60 minutes
90840	Psychotherapy for crisis (each additional 30 minutes) - list separately in addition to primary service CPT code.
90846	Family Psychotherapy (without the patient present)
90847	Family Psychotherapy (with the patient present)
90849	Multiple-family group psychotherapy
90853	Group psychotherapy
90887	Consultation with family - Explanation of psychiatric, medical examinations, procedures, and data to other than patient.
G0176	Activity therapy, such as music, dance, art or play therapies not for recreation, related to the care and treatment of patient's disabling mental health problems, per session (45 minutes or more)
G2012	Brief communication technology-based service, e.g., virtual check-in, by a physician or other qualified healthcare professional who can report on evaluation and management services.
H0004	Behavioral health counseling and therapy, per 15 minutes
H0031	Mental health assessment, by non-physician.
H0032	Mental health service plan development by non-physician.
H0034	Medication training and support, per 15 minutes.
H0036	Community psychiatric supportive treatment, face-to-face, per 15 minutes.
H2010	Comprehensive medication services, per 15 min
H2014	Skills training and development, per 15 min
T1016	Case management, per 15 min
T1023	Screening to determine the appropriateness of consideration of an individual for participation

<b>Code</b>	<b>Description</b>
	in a specified program, project or treatment protocol, per encounter

## Peer support

<b>Code</b>	<b>Description</b>
H2014	Skills training and development, per 15 min
T1016	Case management, per 15 min
H0038	Self-help/peer services, per 15 min

## Substance use disorder treatment

<b>Code</b>	<b>Description</b>
90849	Multiple-family group psychotherapy
90887	Consultation with family - Explanation of psychiatric, medical examinations, procedures, and data to other than patient.
G2012	Brief communication technology-based service, e.g., virtual check-in, by a physician or other qualified healthcare professional who can report on evaluation and management services.
G9012	Other specified case management service not elsewhere classified
H0001	Alcohol and/or Drug Assessment
H0002	Behavioral Health screening to determine eligibility for admission to treatment program(s)
H0004	Behavioral health counseling and therapy, per 15 minutes
H0005	Alcohol and/or drug services; group counseling by a clinician
H0006	Alcohol and/or drug services; Case Management
H0015	Alcohol and/or drug services; Intensive outpatient (treatment program that operates at least 3 hours/day and at least 3 days/week and is based on an individualized treatment plan).
H0022	Alcohol and/or drug intervention service (planned facilitation)
H0023	Alcohol and/or drug outreach, Behavioral health outreach service (planned approach to reach a targeted population)
H0032	Mental health service plan development by non-physician.
H0038	Self-help/peer services, per 15 min
H0050	Alcohol and/or drug services, brief intervention, per 15 minutes
H2010	Comprehensive medication services, per 15 minutes
H2011	Crisis intervention service, per 15 minutes
H2014	Skills training and development, per 15 minutes
H2032	Activity therapy, per 15 minutes
T1006	Alcohol and/or substance abuse services; Family/couple counseling
T1016	Case management, each 15 minutes
H0018	Residential Treatment
H0019	Residential Treatment

Please refer to published fee schedules for updates to approved service codes for Fee for Service OHP. Consult your CCO for up to date service codes used in services to CCO members.